

012899



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

C3

Job Sheet 202966



Part No: C3

Job Qty: 1 pcs

Part Name: C-Series Remote Hook 3,000 lbs Lift Capacity



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 11/6/19

Job Tracking No:

Due Date: 12/13/19

Created By: Jennifer Renwick

Type: Stock

Description: SIOP

Note: DWG C3 Rev 2 IPP Rev A 18.03.29 New Issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
95	External Load - Issue SN	1 pcs	12/13/19	12/13/19	0.00	0.07	External Load - 1		AP 2019-11-26 Mabel 2019-11-13
							External Load - 2		
							External Load - 3		
100	External Load - 2 - B4B	1 pcs	12/13/19	12/13/19	0.00	1.00	External Load - 1 - B4B		AP 2020-01-16
							External Load - 2 - B4B		
							External Load - 3 - B4B		
110	QC 5	1 pcs	12/13/19	12/13/19	0.00	0.00	QC 5 - 10		DAS 58 JAN 17 2020 Q-89
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
							QC 5 - 40		
							QC 5 - 61		
							QC 5 - 81		
130	Packaging 3-2 - Stock - B4B	1 pcs	12/13/19	12/13/19	0.00	0.00	Packaging 3 - 1 - B4B		
							Packaging 3 - 2 - B4B		
							Packaging 3 - 3 - B4B		
							Packaging 3 - 4 - B4B		
							Packaging 3 - 5 - B4B		
							Packaging 3 - 6 - B4B		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 813 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S234891



Part: C3

Job No: 202966

Serial No/Batch: S234891

Revision: 2

Inspector:

				Packaging 3 - 7 - B4B	DAS 58 JAN 17 2020 9-89
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	DAS 21 JAN 17 2020 9-89
135 DC - 1 - B4B	1 pcs	12/13/19	0.00 0.00	DC - 1 - B4B	DAS 21 JAN 17 2020 9-89
				DC - 2 - B4B	
140 QC 21 - FG	1 pcs	12/13/19	0.00 0.00	QC 21 - FG - 21	DAS 21 JAN 17 2020 9-89
				QC 21 - FG - 70	
				QC 21 - FG - 53	

Part Op 95 - (Small Fab) 1-Issu S/N

Descriptions: 100 - (Small Fab) 1- PICK C3-2-1 AND LASER ENGRAVE AS PER DWG . SEE NOTE 3 AND 4 ON SHEET 3. 2- ASSEMBLE AS PER DWG

110 - QC5- Inspect part completeness to step on W/O)

130 - Identify as per dwg & Stock Location: _____)Identify and Stock

135 - (Document Control)- Photocopy blue file OM & O&OPM-C3 Rev L.

140 - (QC21- Final Inspection - Work Order Release)

LOCTITE 620 (S194792)

GREASE AEROSHELL NO:7 (S225553)

ANTISEIZE LOCTITE LB771 (M138973)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
188-FPSS-1032-1/4	Set Screw	2 Ea (2 ea)	95-External Load - Issue SN	5110495
188-FSCS-832-5/8	Clock Spring Cover Screw	4 Ea (4 ea)	100-External Load - 2 - B4B	5189728
2595K22	Heat Shrink Tube	1 pcs (1 ea)	100-External Load - 2 - B4B	5073047
32446	Crimp Terminal	2 Ea (2 ea)	100-External Load - 2 - B4B	5120365
8183K6	Wire Guide/Grip	1 Ea (1 ea)	100-External Load - 2 - B4B	5118247
AN4-16A	Bolt	3 Ea (3 ea)	100-External Load - 2 - B4B	5228325
AN4-17A	Bolt	1 Ea (1 ea)	100-External Load - 2 - B4B	-5157429-3
AN6-15A	Bolt	1 Ea (1 ea)	100-External Load - 2 - B4B	-5209068
C2-1-1	Manual Release Knob	1 pcs (1 ea)	100-External Load - 2 - B4B	5226897
C2-10-1	Lock Spring Pin	1 pcs (1 ea)	100-External Load - 2 - B4B	5068051
C2-11-2	Locating Pin	2 Ea (2 ea)	100-External Load - 2 - B4B	5061528
C2-3-1	Latch Shaft Du Bearing	2 pcs (2 ea)	100-External Load - 2 - B4B	5189923
C2-3-10	Latch Shaft	1 pcs (1 ea)	100-External Load - 2 - B4B	5180410
C2-3-11	Actuator	1 pcs (1 ea)	100-External Load - 2 - B4B	5174393
C2-3-2	Latch Roller Pin	1 pcs (1 ea)	100-External Load - 2 - B4B	5173563
C2-3-2-1	Roller Pin Retaining Ring	2 Ea (2 ea)	100-External Load - 2 - B4B	5222866
C2-3-3	Latch Roller	1 pcs (1 ea)	100-External Load - 2 - B4B	5116487
C2-3-3-1	Latch Roller DU Bearing	1 pcs (1 ea)	100-External Load - 2 - B4B	5182513
C2-3-5	Spacer, Teflon	2 Ea (2 ea)	100-External Load - 2 - B4B	5199313
C2-3-6	Latch	1 pcs (1 ea)	100-External Load - 2 - B4B	5230330
C2-3-8	Actuator Shaft Bushing	2 pcs (2 ea)	100-External Load - 2 - B4B	5196195
C2-5-1	Actuator Stop	1 Ea (1 ea)	100-External Load - 2 - B4B	5216722
C3-10-2	Lock Spring	1 pcs (1 ea)	100-External Load - 2 - B4B	5197483
C3-11-1	Side Plate - Solenoid C3-Hook	1 pcs (1 ea)	100-External Load - 2 - B4B	5182333
C3-12-1	Lock Bushing	2 pcs (2 ea)	100-External Load - 2 - B4B	5193685
C3-12-2	Lock Shaft - C3 Hook	1 pcs (1 ea)	100-External Load - 2 - B4B	5080193
C3-12-3	Lock - C3 Hook	1 pcs (1 ea)	100-External Load - 2 - B4B	5142603
C3-12-4	Lock Roller	1 pcs (1 ea)	100-External Load - 2 - B4B	5100620
C3-12-5	Lock Roller Pin	1 pcs (1 ea)	100-External Load - 2 - B4B	5188182
C3-12-6	Lock Roller Pin Circlip	2 Ea (2 ea)	100-External Load - 2 - B4B	5206297
C3-13-1	Keeper Bushing	2 pcs (2 ea)	100-External Load - 2 - B4B	5189919
C3-13-4	KEEPER	1 pcs (1 ea)	100-External Load - 2 - B4B	5144330
C3-13-5	Spring, Keeper	1 pcs (1 ea)	100-External Load - 2 - B4B	5146022
C3-2-1	Side Plate C-3 Hook	1 pcs (1 ea)	100-External Load - 2 - B4B	5175253
C3-3-4	Link Pin	2 pcs (2 ea)	100-External Load - 2 - B4B	5218798
C3-3-4-1	Ring, Retaining	4 pcs (4 ea)	100-External Load - 2 - B4B	5197546
C3-3-7	Link	1 pcs (1 ea)	100-External Load - 2 - B4B	5048430
C3-3-9	Actuator Spring	1 pcs (1 ea)	100-External Load - 2 - B4B	5128685
C3-4-1	Load Beam Bushing	2 pcs (2 ea)	100-External Load - 2 - B4B	5192917
C3-4-4A	C3 Load Beam Assy	1 pcs (1 ea)	100-External Load - 2 - B4B	5237353
C3-7-1	Load Beam Bumper	1 pcs (1 ea)	100-External Load - 2 - B4B	5208794
C3-7-2	Lock Bumper	2 pcs (2 ea)	100-External Load - 2 - B4B	5189979
C3-8-2	Solenoid	1 pcs (1 ea)	100-External Load - 2 - B4B	5210004
C3-8-4	Solenoid Cover Gasket	1 pcs (1 ea)	100-External Load - 2 - B4B	5213024
C3-8-5	Solenoid Cover	1 pcs (1 ea)	100-External Load - 2 - B4B	5204110
C3-9-1	Clock Spring Cover - C3 Hook	1 pcs (1 ea)	100-External Load - 2 - B4B	5116296
C3-9-2	Spring, Clock	1 pcs (1 ea)	100-External Load - 2 - B4B	5089524
EL-PLUG-M	3-Prong Male Spade Plug	1 Ea (1 ea)	100-External Load - 2 - B4B	5228549
M27500-16TG2T14	Wire - 16-Gauge - Shielded	1 ft (1 ea)	100-External Load - 2 - B4B	5075144
MS21044N4	Nut, Self-Locking	4 Ea (4 ea)	100-External Load - 2 - B4B	5225328
MS21083N3	Nut	2 Ea (2 ea)	100-External Load - 2 - B4B	5220750
MS21083N6	Nut	1 Ea (1 ea)	100-External Load - 2 - B4B	3192157
MS35266-63	Solenoid Cover Screw	1 Ea (1 ea)	100-External Load - 2 - B4B	5183289
MS35266-63	Solenoid Cover Screw	1 Ea (1 ea)	100-External Load - 2 - B4B	5207709-1
NAS1149F0332P	Washer (AN960-10L)	2 Ea (2 ea)	100-External Load - 2 - B4B	5075330-3
NAS1149F0363P	Washer (AN960-10)	1 Ea (1 ea)	100-External Load - 2 - B4B	5201001
NAS1149F0463P	Washer (AN960-416)	8 Ea (8 ea)	100-External Load - 2 - B4B	5048297
NAS1149F0632P	Washer (AN960-616L)	2 Ea (2 ea)	100-External Load - 2 - B4B	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
95-External Load - Issue SN	188-FPSS-1032-1/4	2	63	0
100-External Load - 2 - B4B	188-FSCS-832-5/8	4	176	0
	2595K22	1	22	0
	32446	2	588	0
	8183K6	1	21	0
	AN4-16A	3	379	0
	AN4-17A	1	285	0
	AN6-15A	1	17	0
	C2-1-1	1	26	0
	C2-10-1	1	61	0
	C2-11-2	2	30	0
	C2-3-1	2	42	0
	C2-3-10	1	8	0
	C2-3-11	1	16	0
	C2-3-2	1	19	0
	C2-3-2-1	2	98	0
	C2-3-3	1	39	0
	C2-3-3-1	1	15	0
	C2-3-5	2	79	0
	C2-3-6	1	0	0
	C2-3-8	2	27	0
	C2-5-1	1	19	0
	C3-10-2	1	15	0
	C3-11-1	1	8	0
	C3-12-1	2	20	0
	C3-12-2	1	14	0
	C3-12-3	1	18	0
	C3-12-4	1	27	0
	C3-12-5	1	26	0
	C3-12-6	2	76	0
	C3-13-1	2	46	0
	C3-13-4	1	24	0
	C3-13-5	1	21	0
	C3-2-1	1	9	0
	C3-3-4	2	22	0
	C3-3-4-1	4	239	0
	C3-3-7	1	10	0
	C3-3-9	1	19	0
	C3-4-1	2	19	0
	C3-4-4A	1	5	0
	C3-7-1	1	26	0
	C3-7-2	2	38	0
	C3-8-2	1	13	0
	C3-8-4	1	41	0
	C3-8-5	1	19	0
	C3-9-1	1	9	0
	C3-9-2	1	26	0
	EL-PLUG-M	1	27	0
	M27500-16TG2T14	1	24	0
	MS21044N4	4	115	0
	MS21083N3	2	90	0
	MS21083N6	1	42	0
	MS35266-63	2	35	0
	NAS1149F0332P	2	4,910	0
	NAS1149F0363P	1	285	0
	NAS1149F0463P	8	344	0
	NAS1149F0632P	2	296	0

Part Specifications

Specifications could not be found.

Plex 11/6/19 10:16 AM Dart.Renwick.Jennifer



Remote Cargo Hook Test Form

C3

MAKE SURE YOU ARE USING THE CORRECT TEST FORM FOR THE CORRECT SOLENOID!

NEW SOLENOID (152951-001)

Work Order 202966

Customer _____


Serial Number S234891

Date 2020-01-15

# of Releases	Load (Lbs.)	Release Method	Remarks	Result	Pass/Fail
1	7,500	Static Hold	Hold for two minutes and reduce load to zero	N/A	PASS
10	1,500	Electircal, 25 volts	No "hang ups" permitted	N/A	PASS
2	3,000	Electircal, 22 volts	Current shall not exceed 12.8 A	9.8 A	PASS
2	2,500	Electircal, 22 volts	Current shall not exceed 12.8 A	9.8 A	PASS
2	2,000	Electircal, 22 volts	Current shall not exceed 12.8 A	9.8 A	PASS
2	1,500	Electircal, 22 volts	Current shall not exceed 12.8 A	9.7 A	PASS
2	500	Electircal, 22 volts	Current shall not exceed 12.8 A	9.6 A	PASS
1	3,000	Electircal, 20 volts	Current shall not exceed 11.6 A	8.7 A	PASS
1	3,000	Electircal, 28 volts	Current shall not exceed 16.2 A	12.1 A	PASS
1	3,000	Manual		N/A	PASS
1	3,000	Impact Test	Impact shackle 10x , shall not release	N/A	PASS
1	N/A	Solenoid Ohms	Shall not exceed 1.7-2.0 Ω	1.9 Ω	PASS
1	N/A	Electircal Continuity	Across both wires	N/A	PASS

Test Conducted By: ALAIN PATRY

Technician



Signature: _____

DAS
58

JAN 17 2020

QC Small FAB / QA